



WE DESIGN & PRODUCE RELIABLE HAND TOOLS



Easystripper III®



Smartcrimper®



Stripfaster®



Telecrimper®



KYP TOOLS Innovation . Design . Quality . Service . Execution

TIME LINE & HISTORY

- 1975 Mr. Peter Yen founded Kauw Yehi Industrial Co., Ltd. in a small 3-story factory.
- 1984 Mr. Yen conducted KYP R & D team to create KYP classical wire stripper. It was patented in many counties, and sold to all over the world for decades.
- 1985-1995 Expanded the production line, during this period included cable tie guns. Applied patents.
- 1996-2000 KYP R&D team invented schema of KYP push-force saving cirmping tools, and applied patents in many countries.
- 2001-2003 Moved to the new self-owned plant in Tucheng Industrial Zone, Taipei. Enlarged its' produciton line from 2 to 4-lines, increased the numbers of its' employees. Completed cycle test for smart vise crimper series, developed multi-functional tools. Applied patents & obtained ISO 9001.
- 2004 Fullfilled ISO 9001 certificate factory.
- 2005-2008 Increased sales revenue 15% yearly. Started to OEM/ODM for well-known global brands.
- 2009 Developed new version easy wire stripper, rapid stripper, stripfaster...these products was announced in the beginning of 2010.
- 2010 Fullfilled ISO 9001:2008 version.

VISION

To be a global company, making a difference in people's lives through KYP hand tools.

PRINCIPLES

Innovation, Design, Quality, Service, & Execution.

We value our customers and our workers, both of them play a key role in our success.

MISSION

To design only good hand tool, to have the client's job done with precision and quality.

Factory space: 8000sq.ft.

Workers : 35

R &D : 5

QC : 3

Staffs : 5

Capacity : 100,000 pcs/Month



C ONTENTS

WIRE STRIPPER & CUTTER

P.2-19

CRIMPING TOOL

P.20-28

DATA. COMMUNICATION TOOL

P.29-36

CABLE TIE GUN & COMPRESSION TOOL

P.37

MULTISTRIPPER PLUS & PUNCHDOWN+

P.38-39

TOOL KIT

P.40-41





EASYSTRIPPER[®] III

Total solution for wire stripping by one squeeze!



Patent

Special designed jaws hold the wire securely during the stripping process.

Powder metal jaws, hardness HV450°-650° (HRC 52°-57°). Body constructed by harden metal with black oxide heat treatment.

Adjustable stop controls the length of wire be stripped.

Crimp insulated, non-insulated & auto ignition terminals. With extra cutting function for regular solid or stranded cable.

Standard stripping & cutting gauge 8-26AWG (0.13-8mm²), swivel knob micro-adjusts for thinner wire 30AWG (0.05mm²) or thicker wire such as Romax cable 14/2.



Swivel knob micro-adjusts for wire 30AWG(0.05mm²)



Swivel knob micro-adjusts for NM-B wires 10-14AWG



Strip Romax cables 14/2 & 12/2



Strip regular wire 8-26AWG (0.13-8mm²)

Item No.	KY 668K KY 668
Description	Easystripper® III
Weight	338g
Length	210mm 205mm

Features:

- Adjusts micro swivel knob clockwise to strip wire 30AWG (0.05mm²) without damage the inner cord.
- Ergonomically designed PP & TPR two component handles.
- Steel construction body with heat treatment, provides durability and rust resistance.
- Adjust to easily strip wire to various lengths.
- Strips & cuts most kind of 8 to 26-gauge (0.13-8mm²). Also strips Romax cable & NM-B cable.
- Crimps 10-22AWG (0.5-6mm²) insulated terminal, non-insulated terminal & 7 to 8mm ignition terminal.



Swivel knob micro-adjusts for wire 30AWG(0.05mm²)



Swivel knob micro-adjusts for NM-B wires 10-14AWG



Strip Romax cables 14/2 & 12/2



Strip regular wire 8-26AWG (0.13-8mm²)

Item No.	KY 665T
Description	Easystripper® II
Weight	308g
Length	205mm

Features:

- Adjusts micro swivel knob clockwise to strip wire 30AWG (0.05mm²) without damage the inner cord.
- Ergonomically designed PP & TPR two component handles.
- Steel construction provides durability and rust resistance.
- Adjust to easily strip wire to various lengths.
- Strips & cuts most kind of 8 to 26-gauge (0.13-8mm²) cable. Also strips Romax cable & NM-B cable.
- Crimps 10-22AWG (0.5-6mm²) insulated terminal, non-insulated terminal & 7 to 8mm ignition terminal.



Swivel knob micro-adjusts for wire 30AWG(0.05mm²)



Swivel knob micro-adjusts for NM-B wires 10-14AWG



To crimp cord end sleeve from 0.5-6mm²



To cut regular wire


Item No.	KY 665FT
Description	Easystripper® II
Weight	348g
Length	205mm

Features:

- Adjusts micro swivel knob counter-clockwise to strip wire 30AWG (0.05mm²), clockwise to strip wire 8AWG (8mm²), Romax & NM-B cable.
- Strips & cuts most kinds of 8 to 26-gauge (0.13-8mm²) cable.
- Crimps (0.5-6mm²) cord end sleeve.
- Adjust to easily strip wire to various lengths.
- Ergonomically designed PP & TPR two component handles.
- Steel construction provides durability and rust resistance.



EASYSTRIPPER



Wire Stripping
10-24 AWG
(0.2-6.0mm²)



Cutting
10-24 AWG
(0.2-6.0mm²)



Crimping
insulated terminal
10-22 AWG
(0.5-6mm²)



Crimping non-insulated
terminal
10-22AWG
(0.5-6mm²)



For auto ignition
terminal 7-8mm

Item No.	KY 661T
Description	Easystripper® I
Weight	278g
Length	205mm

Features:

- Automatic wire stripper, breaks and pulls off casing without cutting the wire inside.
- Steel construction provides durability and rust resistance.
- Adjust to easily strip wire to various lengths.
- Strips & cuts most kind of 10 to 24-gauge(0.2-6mm²) cable.
- Ergonomically PP & TPR two component handles.
- Crimps 10-22AWG (0.5-6mm²) insulated terminal, non-insulated terminal & 7 to 8mm ignition terminal.



CLASSICAL EASYSTRIPPER



SK5 knife to cut cable
maximum 10AWG
(6mm²)



Item No.	KY73 IAT I
Description	NEW Classical Easystripper
Weight	243g
Length	205mm



Item No.	KY73 IAT
Description	NEW Classical Easystripper
Weight	240g
Length	205mm



Item No.	KY 511
Description	Classical Easy Stripper
Weight	245g
Length	172mm



Patent

Item No.	KY 513
Description	Classical Easy Stripper
Weight	280g
Length	172mm



Item No.	KY 661
Description	Easy Stripper
Weight	275g
Length	205mm



Item No.	KY 661N
Description	Easy Stripper
Weight	275g
Length	205mm



Patent

Crimp:
Insulated terminals
Non-insulated terminals
Auto ignition terminals


Item No.	KY 665
Description	Easy Stripper
Weight	305g
Length	205mm



Patent

Crimp:
Insulated terminals
Non-insulated terminals
Open barrel disconnected terminals

Item No.	KY 665N
Description	Easy Stripper
Weight	305g
Length	205mm



Item No.	KY 731A
Description	Classical Easy Stripper
Weight	255g
Length	205mm



Item No.	KY 735A
Description	Classical Easy Stripper
Weight	305g
Length	205mm



Item No.	KY 731B
Description	Classical Easy Stripper
Weight	270g
Length	205mm



Item No.	KY 735B
Description	Classical Easy Stripper
Weight	305g
Length	205mm



Item No.	KY 731C
Description	Classical Easy Stripper
Weight	255g
Length	205mm



Item No.	KY 735C
Description	Classical Easy Stripper
Weight	305g
Length	205mm




STRIPFASTER

Zinc alloy die casting
& S45C constructed
body

Laser marking

SK5 knife



Bi-component
TPR handle



Place wire in jaws in
proper blade hole



Positive stripping,
precise remove the
insulation



With cable guide and
length stop



Broaching pair blade,
cut the insulation to a
complete extent

Item No.	KY 736
Description	Stripfaster
Weight	354g
Length	168mm

Features:

- Excellent wire stripper for different types of blade.
- Refer spare knives picture as Right.
- Knife-type blades feature multiple hold diameters.
- Wire clamp holds wire centered in stripping hole.
- Lever action offers stripping and slug removal in one step.
- Custom designate blade is welcomed!

<p>736A</p>	<p>736B</p>	<p>736C</p>	<p>736D</p>
<p>736E</p>	<p>736F</p>	<p>736F1</p>	<p>736F2</p>
<p>736F3</p>	<p>736G</p>	<p>736H</p>	<p>736L</p>
<p>736M</p>	<p>736N</p>	<p>736P</p>	<p>736Q</p>



STRIPFASTER II

Zinc alloy die casting
& S45C constructed
body

Laser marking

SK5 knife

SK5 Cutter

Bi-component
TPR handle

Patent



Place wire in jaws in
proper blade hole



Positive stripping,
precise remove the
insulation



With cable guide and
length stop



Cut solid or stranded
wire to 10AWG
(6.0mm²)

Item No.	KY 740
Description	Stripfaster II
Weight	400g
Length	178mm


 736A	 736B	 736C	 736D
 736E	 736F	 736F1	 736F2
 736F3	 736G	 736H	 736L
 736M	 736N	 736P	 736Q

Features:

- Excellent production stripper for different types of blade.
- Knife-type blades feature multiple hold diameters.
- Wire clamp holds wire centered in stripping hole.
- Lever action offers stripping and slug removal in one step.
- Additional SK5 cutter to cut solid or stranded wire up to 10AWG (6.0mm²).



POCKET STRIPPER



Strip regular cable
10-20AWG (0.5-6mm²)



Step 1 & 2 for RG59
& RG6 cable stripping



Strip low voltage
cable Ø8-13mm²



Build-in indicator
for length stripping.

Item No.	KY662 KY662V
Description	Pocket Stripper
Weight	48g
Length	122mm




Features:


- For stripping all common round cable between 10-20AWG (0.5-6mm²), Din-proof installation cables between Ø8-13mm & RG6, RG59 Coax-cables.
- With opening spring and lock.
- Easy to carry & combo tool. Two types of low voltage cable stripper: Refer above pictures.
- With index measure 0-50mm.
- Practical clip for safe carry.
- For both vertical and longitudinal stripping.



COAXSTRIPPER



Left: 2-level
cable stripping
Right: 3-Level
cable stripping



2 Level & 3 Level Cable
stripping: Squeeze both
tension arm, put the cable
in the cassette bay
Rotate to remove outer
shear.



To insert cassette:
Gently slide the cassette
into the slot frame.



To replace cassette:
Push cassette out of
the slot frame.


Item No.	KY667-2	KY667-3
Description	2-level coaxial wire stripper	3-level coaxial wire stripper
Material	SK5 blade, nylon w/fiber casing	SK5 blade, nylon w/fiber casing
Weight	41g	41g
Length	105mm	105mm

Features:

- One step preparation to remove outer jacket.
- Cassette blade that require no adjustment.
- Stripping cassette has pre-set cutting blade and depth gauge.
- Body made of high quality Nylon with glass fiber, easy to carry, and light weight.



RAPID STRIPPER



Precise stripping from 10-24AWG (0.2-6mm²)



Adjustable length stop, with index 8-20mm
Side spring to remove insulation when needed



Wire cutter for multiple stranded or solid wire cables up to 2mm²



Handle lock for easier storage

Item No.	KY 737
Description	Rapid Stripper
Weight	130g
Length	W180xL170xH32mm

Features:

- For stripping in confined area.
- Self-adjusting stripping blades automatically select proper position.
- Strips 10-24 AWG(0.2-6mm²) stranded or solid insulated wire.
- Cuts up to 14 AWG(2mm²) solid or stranded wire.
- Lightweight, ergonomic design reduces user fatigue.
- Reinforced fiberglass construction, completed cycling test for 10,000 times of wire stripping.
- Hardened steel blades for extra strength and longer life.



ROTATOR



Rotate to remove outer Jacket



Longitudinal strip NYM or round cable



Replaceable stainless steel blade



Adjustable wheel, turn left or right to adjust blade depth

Item No.	KY 3106
Description	Rotator Wire Stripper
Weight	59g
Length	140mm

Features:

- Heavy-duty cable stripper for all insulation types.
- Larger capacity: Strip dimension from 4mm to 28mm.
- Stainless steel easy-to-use replaceable & adjustable blade.
- Ergonomic ABS grip, friction free, safe and easy to rotate cable.



Maximum cutting range 12mm



Strip cable



With additional protection frame.

Item No.	KY3103A	KY3103B	KY3103C
Description	Cutter / Stripper	Cutter / Stripper	Cutter / Stripper
Material	SK5	SK5	SK5
Weight	153g	153g	153g
Length	170mm	170mm	170mm

Patent



Additional SK5 cable stripper



Longitudinal cable stripping



Rotate to remove outer jacket

Item No.	KY3105A	KY3105B	KY3105C
Description	Cutter / Stripper	Cutter / Stripper	Cutter / Stripper
Material	SK5	SK5	SK5
Weight	158g	158g	158g
Length	170mm	170mm	170mm


With additional blade for longitudinal strip NYM cable Diameter 8-13mm



Item No.	KY130	KY131	KY132
Description	Mini Stripper	Mini Cutter	Mini Crimper
Material	SK5	SK5	SK5
Weight	105g	106g	107g
Length	125mm	125mm	125mm



Item No.	KY130S	KY131S	KY132S
Description	Mini Wire Stripper w/Lock	Mini Wire Stripper w/Lock	Mini Wire Stripper w/Lock
Material	Mid carbon steel	Mid carbon steel	Mid carbon steel
Weight	113g	116g	118g
Length	125mm	125mm	125mm



Double grounded
cutting blade
Extra stripping knife

Features:

- For thin wire or cable
maximum size to 12AWG (2.6mm)
- Rust free
- CNC ground fabricated blade

One squeeze to open
Maximum cutting size
to 10.5mm
Safety cap included.

Item No.	KY3100	KY3101	KY3102A
Description	Mini Electrician cutter	Cable Cutter	Cable Cutter
Material	SK5	Stainless steel	SK5
Weight	50g	50g	169g
Length	125mm	125mm	168mm



Black oxide SK5
Strip regular wire 10-22AWG
(0.5-6mm²)
Cut regular wires

Item No.	KY 120
Description	Pocket Stripper
Weight	80g
Length	128mm



Black oxide SK5
Strip regular wire 10-22AWG
(0.5-6mm²)
Cut regular wire 0.8-2.6mm
Cut bolts

Item No.	KY 123
Description	Universal Stripper
Weight	145g
Length	188mm



Black oxide SK5
Strip regular wire 10-22AWG
(0.5-6mm²)
Cut regular wires

Item No.	KY 121
Description	Stripper
Weight	130g
Length	165mm



Black oxide SK5
Strip regular wire 16-30AWG
(0.05-1.5mm²)
Cut regular wires

Item No.	KY 121A
Description	Stripper
Weight	130g
Length	165mm



Black oxide SK5
Strip regular wire 10-22AWG
(0.5-6mm²)
Crimp insulated, non-insulated
terminals & cut bolts.

Item No.	KY 125
Description	Stripper Cutter & Crimper
Weight	145g
Length	188mm



Black oxide SK5
Cut & Strip regular wires
Crimp insulated, non-insulated
terminals & cut bolts.

Item No.	KY 126
Description	Stripper, Cutter & Crimper
Weight	150g
Length	205mm



Stainless steel
Strip regular wires
Cut regular wires

Item No.	KY 127
Description	Stripper & Cutter
Weight	145g
Length	170mm



Black oxide SK5
Strip regular wires
Cut regular wires

Item No.	KY 127B
Description	Stripper & Cutter
Weight	145g
Length	170mm



Stainless steel
Strip romax 14/2, & 12/2 cables
Cut regular wires

Item No.	KY 128
Description	Romax Stripper & Cutter
Weight	155g
Length	178mm



Black oxide SK5
Strip romax 14/2, & 12/2 cables
Cut regular wires

Item No.	KY 128B
Description	Romax Stripper & Cutter
Weight	155g
Length	178mm



Stainless steel
Strip regular wire 10-22AWG (0.5-6mm²)
Cut regular wire, and bolts
Crimp insulated, non-insulated terminals and coax cable.

Item No.	KY 129
Description	Stripper, Crimper & Cutter
Weight	185g
Length	203mm



Black oxide SK5
Strip regular wire 10-22AWG (0.5-6mm²)
Cut regular wire, and bolts
Crimp insulated, non-insulated terminals and coax cable.

Item No.	KY 129B
Description	Stripper, Crimper & Cutter
Weight	185g
Length	203mm



EUROCRIMPER




Square crimping adjusts automatically to the connector size desired in profile



Lateral loading of the cord end sleeve into the clamping position



Simple handling, high operation comfort & satisfactory performance



Square crimp connectors
KY8165 0.25-6mm²
KY8165A 0.25-8mm²

Item No.	KY 8165	KY 8165A
Description	Eurocrimper	Eurocrimper W/Ratchet
Weight	371g	388g
Length	178mm	178mm



SMARTCRIMPER IV

7-1/2" Compact design for small connectors.



Item No.	KY 8160
Description	Smartcrimper IV
Weight	320g
Length	191mm

* With fabricated polishing.

KY 8160-01
Suitable for insulated terminals/color code nests. 22 -14 AWG (0.5mm ² -2.5mm ²)

KY 8160-02 Suitable for non-insulated open barrel connector, commercial type 14-16, 18-22 AWG (1.5mm ² -2.5mm ² , 0.35mm ² -1.0mm ²) Fabricated polishing	KY 8160-03 Suitable for non-insulated terminals 16-10 AWG (1.5mm ² -6mm ²)	KY 8160-04 Suitable for non-insulated open barrel connector 16-20, 22-30 AWG (1.5-2.5mm ² , 0.35-0.1mm ²) Fabricated polishing	KY 8160-06 Suitable for cord end terminals 22 -12 AWG (0.5mm ² -4mm ²)
KY 8160-07 Suitable for cord end terminals 10-6 AWG (6mm ² -16mm ²)	KY 8160-08 Suitable for non-insulated open barrel connector 22-14 AWG (0.5mm ² -1.5mm ²) Fabricated polishing	KY 8160-09 Suitable for non-insulated terminals 24-10 AWG (0.25mm ² -2.5mm ²)	KY 8160-10 Suitable for non-insulated open barrel connector 24-18 AWG (0.25mm ² -1.0mm ²) Fabricated polishing



SMARTCRIMPER® I

Design for Superior Performance



KYP patented smart vise crimping tool build for improved durability and long-term performance.

Push force saving 50%.

Parallel crimping provides perfect termination.

The tool is ergonomically designed to give maximum comfort with the minimum hand pressure required for reliable and repeatable crimping.

This tool allowing two-handed operation for improve leverage, reducing fatigue and increasing productivity.

All tool included full ratchet action with release mechanism.

Item No.	KY 8161
Description	Smart Vise Crimping Tool
Weight	539g
Length	215mm

Features:

- Lower handle force 40-50%, superior mechanical gain.
- Increased productivity, provide operator safety.
- Interchangeable die sets for wider range of applications.
- Ratchet crimp action provides repeatable and reliable termination.





Patent

KY 8161-01 Suitable for insulated terminals/color code nests. 22-10 AWG (0.5mm ² -6mm ²)	KY 8161-02 Suitable for non-insulated open barrel connector, commercial type 22-10 AWG (0.5mm ² -6mm ²)		
KY 8161-03 Suitable for non-insulated terminals 22-8 AWG(0.5mm ² -10mm ²)	KY 8161-04 Suitable for RG58,RG-59/62,BNC/TNC coaxial connectors.Hex,0.255 (6.48mm), 0.213(5.41mm),0.068(1.73mm)	KY 8161-05 Suitable for RG-59,RG-6 F-type CATV connectors. Hex, 0.35(8.89mm) 0.32(8.13mm) 0.255 (6.48mm)	KY 8161-06 Suitable for RJ-45,8 position keyed or non-keyed modular plugs(excluding AMP)
KY 8161-07 Suitable for cord end terminals 22-10 AWG (0.5mm ² -6mm ²)	KY 8161-08 Suitable for RJ-45,8 position keyed or non-keyed modular plugs(excluding AMP)	KY 8161-09 Suitable for 3C2V,5C2V coaxial connectors.Hex,5.65mm, 7.35mm, 1.35mm	KY 8161-10 Suitable for cord end terminals 10-24 AWG (0.25mm ² -6mm ²)
KY 8161-12 Suitable for cord end terminals 10-6 AWG (6mm ² -16mm ²)	KY 8161-13 Suitable for copper lock 22-14 AWG (0.5mm ² -35mm ²)	KY 8161-14 Suitable for solar terminals 16-10 AWG (2.5mm ² -6mm ²)	KY 8161-15 Suitable for solar terminals 16-10 AWG (2.5mm ² -6mm ²)



SMARTCRIMPER® II

Professional Ratcheting Crimping Tool



Patent

Heavy duty steel construction, with heat treatment & black oxide finishing. Compound leverage for ease of operation.

Wide selection of interchangeable die nests. Reference p.27.

Ratcheting design insures positive exacting crimp.

Safe and push force saving mechanism.

To calibrate this tool the pre-load has to be measured.

Gauge is required to ensure that the die is according to specification.

Item No.	KY 8162T
Description	Smart Vise Crimping Tool
Weight	563g
Length	247 mm

Features:

- Fully ratcheting crimp cycle with built-in safety release.
- Interchangeable die sets of heat-treated steel for long life.
- Long lasting tool that deliver over 30,000 crimp cycles.
- Rugged, double-plated jaw design to increase life span.





Item No.	KY 8162
Description	Smart Vise Crimping Tool
Weight	560g
Length	247 mm

Features:

- Reduced handle grip distance makes it easy for both small and large hands.
- Higher crimp force produced with less hand force so hand doesn't tire as quickly.
- Easy to use and maintain.
- Interchangeable dies sets made from heat treated steel for longer use.



SMARTCRIMPER[®] III

Professional Ratcheting Crimping tool



Heavy duty steel construction.
Compound leverage for ease of operation.
Wide selection of interchangeable die nests.
Ratcheting design insures positive exacting crimps.
Safe and push force saving.

How to use-
Open the tool. Insert terminal in correct nest.
Close tool until terminal fastened. Insert wire into terminal. Close tool until ratchet released.





























To calibrate this tool the pre-load has to be measured. Gauge is required to ensure that the die is according to specification.

Item No.	KY 8163
Description	Smart Vise Crimping Tool
Weight	585g
Length	254 mm
Die Nests	Share the same with KY8162

Features:

- Consistently high crimping quality.
- Precision crimping dies for excellent crimping accuracy.
- Heat treatment body gives the correct balance of hardening & tempering.
- Ergonomically designed TPR two components handle.



KY 8162/8163-01   <p>Suitable for insulated terminals/color code nests. 22 -10 AWG (0.5mm²-6mm²)</p>	KY 8162/8163-02   <p>Suitable for non-insulated open barrel connector,commercial type 22-10 AWG (0.5mm²-6mm²)</p>	KY 8162/8163-03   <p>Suitable for non-insulated terminals 22-8 AWG(0.5mm² -10mm²)</p>	KY 8162/8163-04   <p>Suitable for RG58,RG-59/62,BNC/TNC coaxial connectors.Hex,0.255 (6.48mm), 0.213(5.41mm),0.068(1.73mm)</p>
KY 8162/8163-05   <p>Suitable for RG-59,RG-6 F-type CATV connectors. Hex, 0.35(8.89mm) 0.32(8.13mm) 0.255 (6.48mm)</p>	KY 8162/8163-06   <p>Suitable for RJ-45,8 position keyed or non-keyed modular plugs(excluding AMP)</p>	KY 8162/8163-07   <p>Suitable for cord end terminals 22 -10 AWG (0.5mm²-6mm²)</p>	KY 8162/8163-08   <p>Suitable for Fiber Optic SMA,SMB OR SFR connectors Hex,0.042(1.07mm) ,0.068(1.73mm),0.151(3.84mm) 0.178(4.52mm) 0.213(5.41mm)</p>
KY 8162/8163-09   <p>Suitable for 6P6C/RJ12, 6P4C/RJ11,6P2C modular plugs</p>	KY 8162/8163-10   <p>Suitable for Fiber Optic connectors Hex,0.128(3.25mm),0.137(3.48mm), 0.190(4.83mm),and Round 0.137(3.48mm),0.190(4.83mm)</p>	KY 8162/8163-11   <p>Suitable for cord end terminals 10 -6 AWG (6mm² -16mm²)</p>	KY 8162/8163-13   <p>Suitable for flag terminals/color code nests. 18 -14 AWG (1mm²-2.5mm²)</p>
KY 8162/8163-14   <p>Suitable for non-insulated open barrel flag connector,22-14 AWG (0.5mm²-2.5mm²)</p>	KY 8162/8163-15   <p>Suitable for non-insulated open barrel connector,24-10 AWG (0.25mm²-6mm²)</p>	<p>KY8162 & KY8163 share the same die nests. Customized die nest is welcomed!</p>	



RATCHET CRIMPER

Design for professions



KYP heavy duty ratchet crimper is constructed by mid-carbon steel, its handles and ratchet design provide an effortless experience.

Five crimp positions are included for crimping different size lug 1.25, 2, 5.5, 8, 14mm². Jaw made by die casting with additional fabricated polishing for excellent performance and long life.

Precision full-cycle ratchet action assures complete precise crimp action every cycle. Black oxide finish for corrosion resistance and durability.

Item No.	KY 8166
Description	Heavy Duty Ratchet Crimper
Weight	402g
Length	245mm

Features:

- Fully ratcheting crimp cycle with built-in safety release.
- Interchangeable die sets of heat-treated steel for long life.
- Long lasting tool that deliver over long crimp cycles.
- Rugged, double-plated jaw design to increase life span.



ECO TELECRIMPER



Economic version all-in-one tool, cut, strip & crimp 6P, 8P & RJ45 plug. Build-in broaching teeth to effortless crimp modular plug. Pre-set SK5 cutter and stripper offer easy motion, precise and safe function. Mid-carbon steel constructed body with black oxide finish for excellent performance and durability.

Cable parameters: 28-22AWG (0.08-0.34mm²) flat or round; solid or stranded telephone & data.

Item No.	Material	Application
KY 1365-46	Black oxide heat treatment body SK5 stripping, & cutting knives High carbon steel broaching teeth.	4P4C, RJ22 & 4P2C 6P6C, RJ12, 6P2C
KY 1365-68	Weight :303g Length: 213mm	6P6C, RJ12, 6P2C 8P8C, RJ45



TELECRIMPER



Ratchet version of popular telecrimper design for RJ-45, 6P, 8P or 4P, 6P modular plugs.

Precision broaching crimp teeth made from mid-carbon steel with black oxide finishing for excellent performance and long usage life.

Repeatable crimp, strip and cut action for consistent, high quality, easy on-the-job, one-tool application.

Harden steel constructed body for long-term durability.

Item No.	KY 1366R
Description	Telecrimper w/Ratchet
Weight	338g
Length	203mm
Modular selection	Any paired from 4,6 & 8 poles

Features:

- Professional tool for repetitive stripping, cutting & crimping telephone cables.
- High performance for parallel crimp 4,6 & 8 poles or RJ-11/12 and RJ-45.
- With Ratchet for fatigue-reduced operation.
- With build-in length stopper for exactly length stripping.
- Steel constructed body w/heat treatment for longer durability.



Cut cables



Strip cables w/build-in length stopper



Strip CAT.5 cables



Crimp plugs

Item No.	KY 1366
Description	Telecrimper
Weight	322g
Length	203mm
Modular selection	Any paired from 4,6 & 8 poles

Features:

- All-in-one phone & data tool with multi-function capabilities.
- Crimping cavities for 4,6 & 8 poles handset modular plugs.
- With lock for easier storage.
- 2 crimp profiles, with cutting & stripping functions without changing tools or die sets.
- Harden steel constructed body w/heat treatment for longer durability.



PRO. COM CRIMPER®

Crimping, stripping & cutting in ONE squeeze!



All-in-one crimps, cut & strips various kinds of modular plugs.

Easy motion, precise and safe crimping

Precision powder metal injection crimping teeth for long usage life.


Ergonomically design, easy to squeeze handles.

Build-in modular for 4P or 6P or 8P or 10P.



Patent

Item No.	Material	Application	Packing
KY 1367-4	Rust resistance steel body POM Modulators Weight: 240g Length: 7-3/4" (195mm ± 2mm)	4P4C/RJ22 & 4P2C	Sliding card
KY 1367-6		6P6C/RJ12, 6P2C	
KY 1367-8		8P8C/RJ45	
KY 1367-10		10P/10C	



Stripping



CAT. 5 Stripping



Cutting



Crimping


All-in-one crimp, cut, strip and terminate network and telephone cables.

Easy motion, precise and safe crimping.

Precision powder metal injection crimping teeth, with replaceable 4P, 6P, 8P, 10P modular.

Ergonomically design, easy to squeeze handles.

Item No.	Material	Application	Packing
KY 1368-4	Body made of S45C Mid carbon steel Thickness: 3.2mm Weight: 260g Length: 7-3/4" (195mm ± 2mm) HRC 42-48°	4P4C/RJ22 & 4P2C	Sliding card 
KY 1368-6		6P6C/RJ12, 6P2C	
KY 1368-8		8P8C/RJ45	
KY 1368-10		10P/10C	
KY 1368-46, KY 1368-48	TPR handles Rust resistance POM Modulators	One extra modular, total 2 modulars in one package	Other double blister option: 
KY 1368-40 KY 1368-68			
KY 1368-60 KY 1368-80		Two extra modulars, total 3 modulars in one package	
KY 1368-468 KY 1368-460		3 extra modulars	
KY 1368-480 KY 1368-680			
KY 1368-4680			



Strip flat cable



Strip CAT.5 round cable



Cut cable network



Squeeze handle to activate crimping action

Item No.	KY 1369
Description	Telecrimper w/Ratchet
Weight	372g
Length	195mm

Features:

- 2 crimp functions with a single tool without changing dies, suitable for RJ45, 8P, 6P or 4P, 6P.
- Embedded cable cutter, stripper & length stopper.
- Advanced ratchet system.
- Precision broaching crimping teeth, design for long-term usage life.



TELECRIMPER



Ratchet version of profession telecrimper design for especially crimp RJ-45 & 8P modular plug only.

Repeatable crimp action for consistent, high quality, application.

High-carbon steel and Zine Alloy constructed body with precision powder metal injection crimping teeth to ensure superior performance and long-term durability.

Connector type: RJ45 and 8-pin only.

Apply for 24-26AWG, 0.08-0.20mm² telephone and data cables.

Smooth percision design, build-in safety ratchet release.

Item No.	KY 1371
Description	Telecrimper w/Ratchet
Weight	326g
Length	198mm



TELECRIMPER



Patent

Mid-carbon steel body with black-oxide finish, full cycle ratchet mechanism and with broaching precision crimp teeth for excellent performance and durability.

Crimps 6 or 8 position modular connectors(6P, 8P or RJ45).

Repeatable crimp, strip and cut action for consistent, high quality, easy on-the-job & one-tool application.

PVC Ergonomic handle greatly enhance operation comfort.



Strip flat cable



Strip CAT.5 round cable



Cut cable network



Squeeze handle to activate crimping action

Item No.	KY 1372	KY 1372A
Description	Ratchet Telecrimper w/Zinc Alloy	Ratchet Telecrimper w/Plastic Frame
Weight	388g	308g
Length	137mm	137mm



CABLE TIE GUN



Patent



Patent



Patent

Item No.	KY 1370	KY 1370A	KY 1370R
Description	Compression crimper	Adjustable version	Adjustable w/Ratchet
Weight	388g	402g	418g
Length	188mm	188mm	188mm
Modular selection	Set version for F connector	For multiple-type compression connector installations.	



Item No.	KY 527
Description	Metal Cable Tie Gun
Weight	310g
Length	158mmx130mm

Features:

- Works with plastic cable ties up to 2.2-4.8 mm in width.
- Neatly fastens & cuts in one action.
- Adjustable tension for changing cable bundle pressure.
- Automatic cable tie cut-off.




Strip regular wire
10-20AWG(0.5-6mm²)



Strip SAT/RG6 cable use
2 step functions



Strip NYM 3x1.5mm²
3x2.5mm², 5x2.5mm²



Electrical tester:
110V-250V phase
voltage indication by
amber light ON

Item No.	KY 663T1	KY 663T2
Description	Multi-stripper Plus	Multi-stripper Plus w/o Tester
Weight	145g	145g
Length	195mm	195mm

Features:

- Electrical tester to test the current 110-250 volts through push the indication bottom amber light ON.
- Double blade screwdriver PZ2 & Slotted.
- Strip regular wire use desired stripping position
- Strip coaxial cable SAT/RG6 use STEP1/STEP2 stations.
- Strip NYM cable use Dia 8-13 station located on the bottom of the handle.
- Cable cutter maximum 3x1.5mm.
- Build-in cable length indicator & bit compartment.
- Handle lock, up-CLOSED handle, down-OPEN handle.
- OEM/ODM welcomed!



PUNCHDOWN +



Patent

Impact punchdown tool used to terminate 28-24 AWG (0.8-.34mm²) telephone cable into terminals.

Complete assortment of blades available.

Use double blade to terminate cable in variety of cross-connect panels, blocks and keystone jacks.

Selectable Hi/Low impact-force setting (adjust pressure).

Twist-lock style holder provides quick, easy blade changes and prevents pullout. Spare blade can be stored in handle of tool.

A built-in combination hook / spludger for tracing and removing wires.

Turn the 1st switcher to the left (screwdriver side) to allows non-impact operation to install bit holder & bits.

Molded stripper use for 2 step remove coax cable such as RG6 or RG59.

With an additional carry bag.

Item No.	KY 669
Description	Impact punchdown tool Plus
Weight	308g
Length	265mm



TOOL KIT



Item No. KY8161-0010

10pcs Smart Vise Crimping Tool Kit


- 1pc KY8161-01 Smart vise crimper
- 5pcs Spare dies
- 1pc Hex key
- 2pcs Replaceable screws
- 1pc Case



Item No. KY8162-0068

68pcs Smart Vise Crimping Tool Kit

- 1pc KY8162-01 Smart vise crimper
- 2pcs Spare die nests
- 1pc KY121 wire stripper
- 60pcs Terminals
- 1pc Hex key
- 2pcs Replaceable screws
- 1pc Case



Item No. KY8160-0010

10pcs Smartcrimper Tool Kit

- 1pc KY8160-01 Smartcrimper
- 6pcs Spare die nests
- 1pc Hex key
- 2pcs Replaceable screws

Item No. KY8162T-0010

10pcs Smart Vise Crimper Tool Kit

- 1pc KY8162T-01 Smart vise crimper
- 6pcs Spare die nests
- 1pc Hex key
- 2pcs Replaceable screws



Item No. KY8162T-0012

12pcs Smart Vise Crimper Tool Kit

- 1pc KY8162T-01 Smart vise crimper
- 6pcs Spare die nests
- 1pc Hex key
- 2pcs Replaceable screws
- 1pc KY662 pocket stripper
- 1pc Cable cutter

