




# 大興工業計器


## TAHSING PANEL METER




TA HSING ELECTRIC WORKS CO., LTD.



# PANEL METER



**SR-96** Model: SR-96  
Size: 96×96×65mm  
Panel cut-out  
□ : 90×90mm



**L-96** Model: L-96  
Size: 96×96×110mm  
Panel cut-out  
□ : 90×90mm




**L-110** Model: L-110  
Size: 110×110×95mm  
Panel cut-out  
Ø : 102mm


**SR-72** Model: SR-72  
Size: 72×72×55mm  
Panel cut-out  
□ : 66×66mm

**L-72** Model: L-72  
Size: 72×72×85mm  
Panel cut-out  
□ : 66×66mm


**L-80** Model: L-80  
Size: 80×80×95mm  
Panel cut-out  
Ø : 66mm



**YS-12** Model: YS-12  
Size: 120×120×70mm  
Panel cut-out  
Ø : 110mm




**TH-120S** Model: TH-120S  
Size: 120×100×40mm  
Panel cut-out  
Ø : 70mm



**TH-65** Model: TH-65  
Size: 66×66×40mm  
Panel cut-out  
Ø : 52mm


**TH-100S** Model: TH-100S  
Size: 100×80×40 mm  
Panel cut-out  
Ø : 65mm

**TH-50** Model: TH-50  
Size: 51×51×40mm  
Panel cut-out  
Ø : 45mm




**YS-10** Model: YS-10  
Size: 100×100×50mm  
Panel cut-out  
Ø : 84mm

**YS-8** Model: YS-8  
Size: 80×80×40mm  
Panel cut-out  
Ø : 65mm



**TH-670**  
Model: TH-670  
Size: 60×70×40mm  
Panel cut-out  
Ø : 52mm



TH-38


SO-45

**TH-38** Model: TH-38  
Size: 44×44×35mm  
Panel cut-out  
Ø : 38mm


**SO-45** Model: SO-45  
Size: 48×48×45mm  
Panel cut-out  
Ø : 45mm



**SO-65** Model: SO-65  
Size: Ø-83mm  
Panel cut-out  
Ø : 65mm



**CF-15** Model: CF-15  
Size: 66×24×65mm  
Panel cut-out  
□ : 50.5×21.5mm



**CF-480** Model: CF-480  
Size: 88×45×45mm  
Panel cut-out  
□ : 84.5×41mm

**SO-52** Model: SO-52  
Size: Ø-65mm  
Panel cut-out  
Ø : 52mm

**CF-20** Model: CF-20  
Size: 90×34×70mm  
Panel cut-out  
□ : 71×31mm




# PANEL METER



**SHUNT 800A  
100A**

Model: Shunt  
Range: 10-5000A  
F.S.: 50mv



**CURRENT  
TRANSFORMER**

AL-TYPE

CL-TYPE

**AL TYPE**

Model: AL-TYPE  
Range: 10-3000 / 5A  
Rated burden: 3VA & 5VA  
Acc class: 1.0  
Insul class: 0.6 kv

**CL TYPE**

Model: CL-TYPE  
Range: 10-5000 / 5A  
Rated Burden: 15VA  
Acc class: 1.0  
Insul class: 0.6 kv

| Movement    | Range                                    | Model                   |                               |                          |                         |                             |                |                |       |
|-------------|------------------------------------------|-------------------------|-------------------------------|--------------------------|-------------------------|-----------------------------|----------------|----------------|-------|
|             |                                          | SR-96<br>SR-72<br>YS-12 | L-96<br>L-72<br>L-110<br>L-80 | CF-20<br>CF-15<br>CF-480 | YS-10<br>YS-8<br>TH-670 | TH-120S<br>TH-100S<br>TH-65 | TH-50<br>SO-65 | SO-52<br>SO-45 | TH-38 |
| Moving Iron | AC 1A-30A                                | ●                       |                               |                          | ●                       | ●                           | ●              | ●              |       |
|             | AC 1A-60A                                | ●                       |                               |                          | ●                       | ●                           |                |                |       |
|             | AC 150V-600V                             | ●                       |                               |                          | ●                       | ●                           | ●              | ●              |       |
| Moving Coil | DC 50 $\mu$ A-30A                        | ●                       | ●                             |                          | ●                       | ●                           | ●              |                | ●     |
|             | DC 50 $\mu$ A-60A                        | ●                       | ●                             |                          | ●                       | ●                           |                |                |       |
|             | DC 50mV-600V                             | ●                       | ●                             | ●                        | ●                       | ●                           | ●              |                | ●     |
|             | AC ( $\rightarrow$ ) 10V-500V            | ●                       | ●                             | ●                        | ●                       | ●                           | ●              |                | ●     |
|             | AC ( $\rightarrow$ ) & DC 100 $\mu$ A-5A | ●                       | ●                             | ●                        | ●                       | ●                           | ●              |                | ●     |
|             | KW                                       | ●                       | ●                             |                          |                         |                             |                |                |       |
|             | PF (COS $\phi$ )                         | ●                       | ●                             |                          |                         |                             |                |                |       |
|             | Hz                                       | ●                       | ●                             |                          | ●                       | ●                           |                |                |       |
|             | rpm                                      | ●                       | ●                             | ●                        | ●                       | ●                           | ●              |                | ●     |